

AP&T®

Cross flow ionizing air blower static remover with hot and cold air by remote control



AP&T®



Cross flow ionizing air blower static remover with hot and cold air by remote control



MAIN FEATURES

1,INTELLECTUALIZED AND ELEGANT APPEARANCE

2,SELF-CLEANING ACTION


3,POWER SWITCH AND AIR VOLUME ADJUSTING BY REMOTE CONTROL

4,WITH ALARM FUNCTION OF HIGH VOLTAGE FAULT

5,FAST SPEED OF STATIC REMOVING,LOW ION BALANCE AND HIGH SAFETY

6,ENERGY EFFICIENCY AND ENVIRONMENTAL PROTECTION

7,Installing angle adjustable, arbitrary switching between cold and warm wind



Specification

Input voltage	220V / 50Hz or 110V/ 60Hz
Output voltage	AC 5.0KV
Power	50W(cold air) / 250W(hot air)
Working distance	100—600mm
Ion balance	$\leq \pm 10V $
Discharge speed	$\leq 3S$
Working temperature	0°C-50°C
Working humidity	< 70%
Air volume	70-120CFM
Noisy	50-90dB
Net weight	Appr.4.2kg
Gross weight	Appr.5.2kg
Dimension	450mm(L)* 252mm(W)*180(bracket included)
	410mm(L)* 252mm(W)*125mm(H)(bracket excluded)