









DT-3370B/3371B/337 2B/3373/3376/3377

Professional Heavy Duty AC,AC/DC True RMS Autoranging Clamp Meters

The DT-3370B series clamp meters offer all the features you need to fit the way you work. The bodies and jaws fit perfectly in your hand and into tight places. Meter controls are positioned so that current measurements can be done with one hand. A large backlit display (on most models) is easy to see and a handy Display Hold keeps measurements on the display.

• Double molded plastic housing







• True RMS measurement for ACV & ACA



Specification	ns									
Function	Max. Range	Basic Accuracy	DT-33 70B	DT-3371 B	DT-3372 B	DT-3373	DT-3376	DT-3377		
Voltage DC	1000V	±(0.5%+1 d)	600V	600V	*	*	*	*		
Voltage AC	1000V	±(1.5%+2 d)	600V	600V		*	*	*		
Current DC	1000A	±(2.5%+5 d)		*		*	*	*		
Current AC	1000A	±(2.5%+4 d)	*	*		*	*	*		
Resistance	60ΜΩ	±(3.0%+5 d)	40M	40M		*	*	50ΜΩ		
Temperatu re	1000°C/ 1832°F	±(3.0%+3 °C)	*	*	*	±(1.0%+ 3°C)	±(1.0%+ 3°C)	*		
Capacitanc e	10mF	±(2.5%+5 d)	4000u F	4000uF	6mF	6000uF	6000uF	*		
Frequency	10MHz	±(1.2%+2 d)	*	10kHz	*	10MHz	10MHz	*		
Inrush Current	1000A	±(1.5%+2 d)	*	*			*	*		
ACA flexible clamp	3000A	±(3.5%+1 0d)					*			
Continuity check	Buzzer sounds less than 50Ω									
Diode test	Test current 0.3mA									

Size (H x W x D): 230mm x 76mm x 40mm

Weight: 315g

Features	DT-3370B	DT-3371B	DT-3372B	DT-3373	DT-3376	DT-3377
Current measurement	AC	AC/DC	AC/DC	AC/DC	AC/DC	AC/DC
LCD display counts	4000	4000	6000	6000	6000	50000
AC True RMS	*	*	*	*	*	*
Flashlight	*	*	*	*	*	*
Data Hold & Peak Hold	*	*	Data Hold	Peak Hold	*	*
Max/Min			*	*	*	*
REL (Zero) Function	*	*	*	*	*	*
Auto Power Off	*	*	*	*	*	*
Low battery indication	*	*	*	*	*	*
Analog Bargragh/61 seg.	*/41 seg.	*/41 seg.	*	*	*	* / 50 seg.
1.9" (48mm) jaw opening	*	*	*	*	*	*
NCV Detection & flashlight	*	*	*	*	*	*
Inrush Current	*	*				
3000A ACA Flexible Clamp		*				
Bluetooth interface		*				

Applications



Professional Heavy Duty AC,AC/DC True RMS Autoranging Clamp Meters

The DT-3370 series clamp meters offer all the features you need to fit the way you work. The bodies and jaws fit perfectly in your hand and into tight places. Meter controls are positioned so that current measurements can be done with one hand. A large backlit display (on most models) is easy to see and a handy Display Hold keeps measurements on the display.

- Double molded plastic housing
- True RMS measurement for ACV & ACA



•Drop-proof to 2M



Accessories: Test leads, gift box with carrying case, 9V battery, Temperature probe (3361/3363/3367/3366/3368)