

EBI 11-P100 Mini- Logger

Internal sensor

EBI 11-P100 Mini-Pressure-Data Logger
Film: [EBI 11](#) – Brochures [download](#)

Product Description

- Temperature and pressure monitoring under cramped conditions
- High accuracy
- Completely waterproof
- Space-saving (small dimensions)
- Field-replaceable battery

Part No.: 1340-6295



Technical data

Measuring range	1 mbar...10.000 mbar
Accuracy	±15 mbar (0 mbar...4000 mbar) ±20 mbar (4000 mbar...10000 mbar)
Resolution	Pressure: 1 mbar
Operating Temperature	0 °C...+150 °C
Storage temperature	0°C...+60°C
Memory	2 x 7.500 measurement values
Sensor	Pt 1000
Sample Rate	1s...24h
Measured variables	Pressure
IP Rating	IP68
Battery	Battery 2 x 3V
Dimensions	ø 16.5 mm x 37 mm
Weight	approx. 45 g
Certificate	Factory calibration certificate

Options

[Interface Set SI 1100](#)

2-fold Interface IF 100 for EBI 12, EBI 10, EBI 100 and EBI 11

Part No. 1340-6061



AL 114

Adapter Set for EBI-11



Part No. 1340-6298

Interface Set SI 1300

4 fold Interface IF 300 for EBI 11



Part No. 1340-6063

Interface Set SI 2100

2-fold Interface IF 100 for EBI 12, EBI 10, EBI 100 and EBI 11



Part No. 1340-6064

AL 115

Bottle Adapter-Set for EBI-11



Part No. 1340-6299

AL 113

Battery Exchange Set for EBI 11



Part No. 1100-0120

Interface Set SI 3300

4 fold Interface IF 300 for EBI 11



Part No. 1340-6069

Software

Winlog.validation Software

Winlog.validation Software



Part No. 1340-2394

Hardware requirements	Processor: Pentium 1 GHz, Main memory: 1 GB, Free hard disk space: 1 GB, USB
Software requirements	Windows Vista (32 bit or 64 bit), Windows 7,8,10 (32 bit or 64 bit)

Winlog.pro Software

Winlog.pro - The general software for programming and evaluation of ebro data loggers

Part No. 1340-2355



Hardware requirements	Processor: Pentium 1 GHz, Main memory: 1 GB, Free hard disk space: 1 GB, USB
Software requirements	Windows Vista (32 bit or 64 bit), Windows 7,8,10 (32 bit or 64 bit)
Further requirements	Resolution: 1024x768

Winlog.med Software

Software (Standard-Software for the CSSD)

Part No. 1340-2363



Hardware requirements	Processor: Pentium 1 GHz, Main memory: 1 GB, Free hard disk space: 1 GB, USB
Software requirements	Windows Vista (32 bit or 64 bit), Windows 7,8,10 (32 bit or 64 bit)
