



Home > Product > General Lab Equipment > Dry Bath > MK200-1



MK200-1

Description

Catalog

Product Information

MK200-1、MK200-2 and MK200-4 are high temperature Dry Bath Incubator controlled by microcomputer, the highest temperature of MK200-1 and MK200-2 can reach 150°C. And the highest temperature of MK200-4 can reach 120°C.

Technical Data

Model	MK200-1	MK200-2	MK200-4
Temperature Control Range	RT+5°C~150°C	RT+5°C~150°C	RT+5°C~120°C
Timing Range	1min~99h59min	1min~99h59min	1min~99h59min
Temp. Control Accuracy @40~100°C	±0.5°C	±0.5°C	±0.5°C
Temp. Control Accuracy @40°C	±0.3°C	±0.3°C	±0.3°C
Temp. Control Accuracy @120°C	±1°C	±1°C	±1°C
Heating Time(40°C to Max.Temp.)	≤30min	≤30min	≤30min
Display Accuracy	0.1°C	0.1°C	0.1°C
Dimension(L x W x H) mm	280 x 240 x 110	280 x 240 x 110	380 x 240 x 110
Quantity of Blocks	1	2	4
Display	LED	LED	LED

Accessories

Code	Type	Description	Dimensions (mm)
AS-01081-01	BK01	49xΦ6mm	96x96x49

AS-01081-02	BK02	49xΦ7mm	96x96x49
AS-01081-03	BK03	25xΦ10mm	96x96x49
AS-01081-04	BK04	25xΦ12mm	96x96x49
AS-01081-05	BK05	25xΦ13mm	96x96x49
AS-01081-06	BK06	12xΦ15mm	96x96x49
AS-01081-07	BK07	16xΦ15mm	96x96x49
AS-01081-08	BK08	12xΦ16mm	96x96x49
AS-01081-09	BK09	16xΦ16mm	96x96x49
AS-01081-10	BK10	12xΦ19mm	96x96x49
AS-01081-11	BK11	16xΦ19mm	96x96x49
AS-01081-12	BK12	9xΦ20mm	96x96x49
AS-01081-13	BK13	9xΦ26mm	96x96x49
AS-01081-14	BK14	4xΦ28mm	96x96x49
AS-01081-15	BK15	4xΦ40mm	96x96x49
AS-01081-16	BK16	49×0.5ml tubes	96x96x49
AS-01081-17	BK17	25×1.5ml tubes	96x96x49
AS-01081-18	BK18	25×2.0ml tubes	96x96x49

SKU: mk200-1 / **Category:** Dry Bath / **Tag:** AS