



SKILLED IN PROFESSIONAL INTELLIGENCE
TO THE FUTURE

- Location :
- [Home](#)
- > [Product](#)
- > [Environmental test device](#)
- > [Humidity Chamber](#)



Temperature and humidity test box

Release date : 2020-07-04

- [Details](#)

多视角干湿球温湿度计检定装置 DTSL型温湿度检定箱技术指标：

产品名称	温湿度检定箱	
产品型号	DTSL	
操作设备	7寸彩色触摸式控制屏	
使用环境温度	15-30°C	
电源	AC220V/50HZ	
功率	≤2KW	
性能	温度范围及分辨率	5°C ~ 60°C (内控 - 10°C ~ 80°C); 0.01°C
	湿度范围及分辨率	25%RH ~ 95%Rh; 0.01%RH
	温度波动度	≤±0.1°C
	温度均匀性	≤0.3°C
	湿度波动度	≤±0.8%RH (20°C时)
调温	湿度均匀性	≤1.0 %RH(20°C时)
	调温方式	等温热板加热、制冷
系统	制冷装置	进口变频双压缩机
调湿	湿度发生器	工业级整体投入式超声波雾化器
系统	湿度控制方式	智能PID控制，精确控制干湿气比例，形成不同湿场
温湿度测量方式		标准电动通风干湿表或精密露点仪
系统自我保护方式		系统控制器自动对超温、低水位、压缩机超压等异常进行自动保护
箱体构成	壳体材料	优质304不锈钢板喷塑抛光处理
	内胆材料	铬-镍不锈钢板表面抛光处理
观察窗		工作室三面强化钢化玻璃；2个操作孔
工作室内部尺寸		520mm×510mm×520mm
外形尺寸(高/宽/厚)		1800mm×785mm×965 mm
重量		350Kg

Recommended



Automatic tool metallographic measuring instrument V400



Automatic tool metallographic measuring instrument V800

-



Automatic tool metallographic measuring instrument V1800

-



Automatic tool metallographic measuring instrument V2000

GUANGDONG JINUOSH TECHNOLOGY CO., LTD

Building 28, Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City,
Guangdong Province 0769-2282-0867

-

-

-
-
-

- Links :

GUANGDONG JINUOSH TECHNOLOGY CO., LTD All rights reserved Company address: Building 28, Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City, Guangdong Province Service Hotline: 188-9871-9887 0769-22820867

[Home](#)

[Product](#)

[Map](#)

[About us](#)