



- Location :
- [Home](#)
- > [Product](#)
- > [Environmental test device](#)
- > [Aging experiment box](#)



Precision high temperature aging box H-VK80

Release date : 2020-06-03

-

-

[\[faint link\]](#)

-

[Details](#)



1. 产品用途

高温精密老化箱适用于电子电工、塑料塑胶、半导体等非易爆物进行干燥及老化试验。学校、医药、食品、化工等单位科研及非易爆物进行干燥、消毒、保温及热处理试验。特别适用于各类产品的高精度的可靠性高温老化试验。

3. 产品参数

1. 内容积(L) :80L
2. 内箱尺寸
WxHxD (cm) :40x50x40
3. 内箱尺寸
WxHxD (cm) :80x143x70
4. 温度范围:RT+10℃~+250℃
5. 温度均匀度:±2℃
6. 温度波动度:±1℃
7. 升降温速率:升温 1.0~4.0℃/min
8. 内箱材质:SUS 304#不锈钢
9. 外箱材质:一级钢板烤漆
10. 保温材料:高密度保温棉
11. 操作界面:原装台湾 FY-700 按键 LED 显示
12. 分辨率:温度: 0.1℃
13. 控制方式:PID 控制方式
14. 电 源:AC 220V

4. 基本配置

样品架两层, 箱内照明灯 1 个, 固定脚垫及万向转轮四个, 电源线 1 条

Recommended

-



Automatic tool metallographic measuring instrument V400

-



Automatic tool metallographic measuring instrument V800

•



Automatic tool metallographic measuring instrument V1800

•



Automatic tool metallographic measuring instrument V2000

GUANGDONG JINUOSH TECHNOLOGY CO., LTD

Building 28, Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City,
Guangdong Province 0769-2282-0867

•

•

•

•

•

GUANGDONG JINUOSH TECHNOLOGY CO., LTD All rights reserved Company address: Building 28,
Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City, Guangdong
Province Service Hotline: 188-9871-9887 0769-22820867