



- Location :
- [Home](#)
- > [Product](#)
- > [Mechanical experimental equipment](#)
- > [Drop test machine](#)



## Roller drop test machine L-9500

Release date : 2020-11-23

L-9500 drum drop testing machine1. Use of roller drop testing machineXm-9500 roller drop tester is suitable for mobile phone, PDA, electronic dictionary, CD, MP3, remote control and other small portab

- 
- 
- [Details](#)

---

**L-9500 drum drop testing machine**



### 1. Use of roller drop testing machine

Xm-9500 roller drop tester is suitable for mobile phone, PDA, electronic dictionary, CD, MP3, remote control and other small portable electronic products for continuous falling rotary test. Rs-dp-12 after N falls, through the counter set times reached, in order to evaluate the product's ability to withstand rotary drops.

## **2. Product standard of roller drop testing machine**

The XM-9500 cylinder drop tester conforms to GB/T2423.8-1995, IEC60068-2-32 and JIS C60068-2-32 test standards

## **3. Features of roller drop testing machine**

1. The XM-9500 cylinder drop testing machine is uniquely designed to meet the requirements of 500 or 1000mm drop height testing at the same time, and can test multiple products at the same time;
2. Xm-9500 cylinder drop testing machine adopts Taiwan produced speed regulating motor drive and governor as rotary speed setting node, and is driven by synchronous belt wheel/drive, with very low start-stop noise and stable operation;
3. The operation panel of xM-9500 drum drop testing machine is simple and easy to control. The frequency can be directly displayed.
4. The XM-9500 roller drop tester adopts LCD display and can be counted by preset counter. It has electric memory function and automatically stops when reaching the set number;

## **4. Product parameters of roller drop testing machine**

1. Roll speed: 5~20 times/min (adjustable)
2. Driving mode: electric driving mode
3. Number of test samples: several pieces (customized according to customer requirements, within 3kg, other requirements)
4. Counter: 6-bit LED display (1~999999) (adjustable)
5. External dimension: Double drum length: 1m and 0.5m, double drum width: 200mm; total width: 400mm

6. Power supply: 220VAC 50HZ

## Recommended

•



Automatic tool metallographic measuring instrument V400

•



Automatic tool metallographic measuring instrument V800

•



Automatic tool metallographic measuring instrument V1800

•



Automatic tool metallographic measuring instrument V2000

**GUANGDONG JINUOSH TECHNOLOGY CO., LTD**

Building 28, Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City,  
Guangdong Province 0769-2282-0867

•

- 
- 
- 
- 

- Links :

GUANGDONG JINUOSH TECHNOLOGY CO., LTD All rights reserved Company address: Building 28, Guanghui Industrial Zone, Dongke Road, Dongcheng District, Dongguan City, Guangdong Province Service Hotline: 188-9871-9887 0769-22820867

[Home](#)

[Product](#)

[Map](#)

[About us](#)