

## Product Informations

Our Product Lineup

DC type



DC Type air ionizer generates large amount of positive and negative ions to eliminate statics at a high-speed.

Static eliminator blower  
**WINSTAT BF-X2DD-V2**

Outline view [↗](#)

Specification [↗](#)

• about Icons



### Feature of the product

WINSTAT BF-X2DD-V2 is a thin and light-weighted DC type ionizer, which generates large amount of positive and negative ions to eliminate statics at a high-speed.

- New features: cleaning detection and high-voltage abnormal alarm functions
- Easy to detach louver for maintenance
- Easy to replace emitter needle by piler
- Adjustable angle with lock function to avoid angle change due to vibration.



### Options



Emitter needle for replacement (4/set): DN-W16

**Static elimination area**

**BF-X2DD-V2**



[Contact](#)

[Products Index](#)

**Specification**

WINSTAT BF-X2DD-V2	
Model	BF-X2DD-V2
Input Power	DC24V (AC adaptor AC100~240V available)
Capacity	15 VA

<b>Output voltage</b>	DC $\pm$ 7,500 V
<b>Ion Balance</b>	Below $\pm$ 15 V(Distance at 300mm: initial setting)
<b>Decay Time</b>	Below 0.6 second(Distance at 300mm: Max. fan speed: initial setting)
<b>Air Speed</b>	1.0 ~ 2.2 m/sec(Distance 300mm center)
<b>Ozone Level</b>	Below 0.007 ppm(Distance at 150mm)
<b>Environment</b>	Temperture: 0 ~ 40°C, Humidity: 15 ~ 85%RH(No Condensation)
<b>Filter</b>	Not Available
<b>Display</b>	Green: Power Indicator(POWER), Yellow: Cleaning Check(C.C.) Red: Power Abnomal(ALARM)
<b>Abnormal Output</b>	NPN Photo Relay output (Power Abnormal or Cleaning Check)
<b>Dimension</b>	150×182×62 mm (W×H×D) Without Stand
<b>Weight</b>	Around 900g (With Stand)
<b>Noise</b>	62dB (A) (Distance 1m))
<b>Accessories</b>	Manual, AC Adaptor, Wide Angle Louver (OBF-LD120W), Signal ouput cable(2/set), Cleaning Brush
<b>Option</b>	Emitter Needle (4/set ): DN-W16