





SALES tob.amy@tobmachine.com









XIAMEN TOB NEW ENERGY TECHNOLOGY CO., LTD.

Provide A Full Set Of Solutions For Battery Machines.

TECH SUPPORT +86-18120715609

Search...





High Speed Mixer For Lab 13000-18400rpm

High Speed Mixer For Lab 13000-18400rpm

- Brand:TOB NEW ENERGY
- Item No.:TOB-SS-56-12
- Order(Moq):1set
- Payment:L/C,T/T,Western Union, Paypal
- Product Origin: China
- Shipping Port:XIAMEN
- Lead Time:7days

Product Detail

High Speed Mixer For Lab Nano Materials Mixing with Speed 13000-18400rpm

SPECIFICATIONS

High speed mixing machine used for lithium battery producing, not only reduce cost for large battery factory, and it can also get more better mixing performance for improve battery quality.


- 1 Evenly dispersed nano materials, eliminate the reunion
- 2 High viscosity reproducibility and consistency
- 3 High viscosity stability and settlement of layered, 10 hours without change
- 4 The stability of high solid content
- 5 High electrical conductivity, conductive agent dispersed evenly

Model	TOB-SS-56-12
Source voltage	AC 380v, 3 phase, 75kw
Machine capacity	120ml
Single batch processing quantity	100ml
Continuous processing quantity	200ml/min
Mixing mode	Stator high shear mode
Turnover number	13000-18400rpm,Frequency converter speed control
Mixing linear velocity	50m/sec
Lifting and turning	The handwheel manual lifting, travel 200mm*2
Mixer container	Down incoming container :
	Flat cylinder, Inner diameter 56mm* outside diameter 77mm * height 63mm,
	SUS304 Material
	Upper discharging container :
	Opening barrel, Inner diameter 56mm* outside diameter 77mm * height 50mm,
	SUS304 Material
Warranty	One year limited and lifetime support

Dimension (H*W*D)	1370*580*950mm

REFERENCE PICTURES

Carbon nanotubes mixed by common mixer with reunion



Carbon nanotubes mixed by high speed mixer with good Conductive network

