



XIAMEN TOB NEW ENERGY TECHNOLOGY CO., LTD.

Provide A Full Set Of Solutions For Battery Machines.

SALES tob.amy@tobmachine.com

TECH SUPPORT +86-18120715609

Search..



Small Size Vacuum Mixer 500-1000ml



This SVM-1L system Vacuum Mixer is a high efficient equipment with a set of vacuum mixing and dispersion function together, it is suitable for lithium electricity experiment process for anode and cathode paste mixing process, and also other glue, chemical and other industries.

- Item No.:TOB-SVM-1L
- Order(Moq):1set
- Payment:L/C,T/T,Western Union, Paypal
- Product Origin:China
- Shipping Port:XIAMEN
- Lead Time:7days

Product Detail

Small Size Desk-Top Stepless Speed Variation Vacuum Mixer 500-1000ml With Variable Volume Design

SPECIFICATIONS

1 This SVM-1L system Vacuum Mixer is a high efficient equipment with a set of vacuum mixing and dispersion function together, it is suitable for lithium electricity experiment process for anode and cathode paste mixing process, and also other glue, chemical and other industries.

2The vacuum mixers with handle wheel, which can uplift the cylinder by hand, without connecting with air compressor.

3 The Vacuum mixing machine is programmable in speed, time, and rotating direction, and water cold stainless steel tank promise high efficient in mixing.

4 The TOB-SVM-1L system vacuum mixing machine is excellent for preparing LiCoO₃, LiFePO₄, Phosphors and ceramic slurry without gas bubble. And the processed material results in the better dispersion and uniformity.

Model	Small Size Vacuum Mixer TOB-SVM-1L
Source voltage	AC 220V/110V, 50HZ/60HZ
Power	750W
Warranty	One Year limited warranty with lifetime support
Mixing speed	0-1400 r/min, Through the inverter speed control
Effective volume	1L, Can also choose 500ml Mixing Jar
Mixing barrel opening mode	Arms straight line guide rail hand cover rising, without connecting air compressor
Mixing barrel size	Φ100mm(Diameter)*140mm(Hight)
Mixing time set	0-99H can be set, with auto stop when time reach
Weight	About 60kg
Dimension(H*L*W)	600*500*300mm, 24"*20"*12"
Advantage	Advanced soft sealing type to keep vacuum pressure maintain on -98kpa up to 24 hours. Double Step Rotary Vane Vacuum Pump, 254L/m, is included for immediate operation Programmable controller to set time, speed, rotation direction. With time setting function

Container is opened or closed by electric Hand (no air pump is required any more)

PRODUCT DISPLAY

