

**PROFI LIGNO**

LI0051, LI6008

DATASHEET

**PRODUCT DESCRIPTION**

The profi LIGNO is the new edition of moisture meters maxi LIGNO and combi SCAN. It combines and extends their functions. Not only wood can be measured, but also different building materials, for example screed or gypsum. The profi LIGNO is a dual meter, which means you are able to choose between non-destructive scanning or connecting an external electrode. It particularly suits for discerning clients.

**SPECIFICATIONS**

Profi LIGNO	specifications
measuring area:	7,0 - 89,0%
options:	4 wood groups, 28 kinds of Wood, 7 building materials, 1 reference scale
accessory:	hand electrode E10 ram electrode E12 ES electrode
measuring depth:	7mm and 20mm with scan or depending from accessory
readout:	LCD display
temperature range:	-20°C till +80°C
electricity supply:	9V battery
weight:	188 g
dimension:	146mm x 68mm x 24mm

**ORDERING INFORMATION**

Art. No. LI0051	Profi LIGNO moisture meter incl. ES electrodes
Art. No. LI6008	Profi Ligno, excl. accessories

**DISCLAIMER**

The right of technical modifications is reserved.

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.