



UT203+ Digital clamp meter

- 1.Industrial electricity
- 2.Residential electricity
- 3.Air conditioning
- 4.Automobile

| <b>Specifications</b>          | <b>Range</b>           | <b>UT203+</b> |
|--------------------------------|------------------------|---------------|
| AC current (A)                 | 400A                   | ±(2.5%+5)     |
| DC current (A)                 | 400A                   | ±(2.5%+5)     |
| AC voltage (V)                 | 600V                   | ±(0.8%+5)     |
| AC voltage frequency(Hz)       | 10Hz~60kHz             | ±(0.5%+2)     |
| DC voltage (A)                 | 600V                   | ±(0.5%+2)     |
| Resistance (Ω)                 | 40MΩ                   | ±(0.8%+2)     |
| Capacitance (F)                | 40mF                   | ±(4%+5)       |
| Frequency (Hz)                 | 10Hz~10MHz             | ±(0.1%+4)     |
| <b>Features</b>                |                        |               |
| Display count                  |                        | 4000          |
| Auto range                     |                        | √             |
| Jaw opening                    |                        | 28mm          |
| True RMS                       |                        | √             |
| NCV                            |                        | √             |
| Continuity test                |                        | √             |
| Diode                          |                        | √             |
| MAX/MIN                        |                        | √             |
| Relative mode                  |                        | √             |
| Zero mode                      |                        | √             |
| Data hold                      |                        | √             |
| Low battery indication         |                        | √             |
| Auto power off                 |                        | √             |
| <b>General Characterisitcs</b> |                        |               |
| Power                          | 1.5V battery (R03) x 2 |               |
| Display                        | 37mm x 25mm            |               |

|                              |                                       |
|------------------------------|---------------------------------------|
| Product color                | Red and grey                          |
| Product net weight           | 235g                                  |
| Product size                 | 215mm x 63mm x 36mm                   |
| Standard individual packing  | Gift box, Carring bag, English manual |
| Standard quantity per carton | 40pcs                                 |
| Standard carton measurement  | 485mm x 295mm x 385mm                 |
| Standard carton gross weight | 16.8kg                                |