



UT211B 60A Mini Clamp Meter

UT211B 60A mini clamp meter is a high precision tool designed with the resolution of 0.1mA. UT211B is perfect for anyone requiring high precision and accurate results when working with electronics, such as troubleshooting solar power systems current load, electrical cars, etc. It is ergonomically designed and also lightweight, making it a convenient tool for working in tight spaces.

Specifications	Range	UT211B
AC current (A)	60A (0.1mA resolution)	$\pm(1.5\%+10)$
DC current (A)	60A	$\pm(2\%+3)$
AC voltage (V)	600V	$\pm(0.8\%+3)$
DC voltage (V)	600V	$\pm(0.7\%+3)$
Resistance (Ω)	60M Ω	$\pm(0.8\%+2)$
Capacitance (F)	62mF	$\pm(4\%+5)$
Features		
Display count		6000
Auto range		√
True RMS		√
Diode test	Around 3.0V	√
V.F.C.		√
NCV		√
Data hold		√
Zero mode		√
LCD backlight		√
Auto power off	Around 15 minutes	√
Continuity buzzer		√
Low battery indication	$\leq 2.5V$	√
Input protection		√
Input impedance for DCV	$\geq 10M\Omega$	√
General Characteristics		
Power	1.5V battery (R03) x 2	
Display	39.3mm x 26.5mm	
Product net weight	Red and grey	
Product color	170g	
Product size	175mm x 60mm x 33.5mm	

Standard accessories	Batteries, test leads
Standard individual packing	Gift box, carrying bag, English manual
Standard quantity per carton	40pcs
Standard carton measurement	385mm x 345mm x 305mm
Standard carton gross weight	12.9kg