



## Mini Magnetic Stirrer



**MS-12D**

**Ideal for:**

- mixing of chemical, laboratory and pharmaceutical materials

**Features:**

- high performance brushless DC-motor: high efficiency stirring performance and precise speed control (minimize RPM fluctuation), low maintenance costs
- speed range from 100 – 2,500 rpm
- max. 2 l stirring capacity (H<sub>2</sub>O)
- outstanding chemical resistance due to tempered glass plate (120 x 120 mm) and PP housing
- dust- and splashproof
- digital speed LED display
- 30 mm stirrer bar included
- CE certified and unique serial number for tracing

**Controller:**

- electronically controlled motor for more capacity
- digital PID control with Jog-Dial

**Features**

**Devices with 230 V power supply can also be supplied with 120 V on request.**

**Version**

Mini, 230 V

**Width (Outer)**

136 mm

**Length (outer)**

136 mm

**Height (outer)**

50.5 mm

**Controller**

digital

**Housing material**

PP housing

**Speed**

100 - 2,500 rpm, high performance brushless DC motor

**Compressor**

max. 2 l (H<sub>2</sub>O)

**Motor rating**

6 / 3 W

**Plate size**

120 x 120 mm

**Plate material**

tempered glass plate (5 mm thick)

**Accessories**

incl. 3 cm stirring bar, up to 50 mm usable  
**available**

- Order number: DH.STIM012