

Fume Hood (Energy Saving Structure)LDN-N120S

[Page Top](#)[Product Summary](#)[Specifications](#)[Same series products](#)

Fume Hood (Energy Saving Structure) LDN-N120S

Item Code : A003045

Model : LDN-N120S

[Page Top](#)[Product Summary](#)[Specifications](#)[Same series products](#)

Fume Hood (Energy Saving Structure) (LDN-N120S)

[Contact Us](#)[Printing](#)

Product Summary

Energy Saving Structure (Push-pull ventilator type)

Features of Fume Hood (Energy Saving Structure) (LDN-N120S)

Specifications

Specifications

Item Code	A003045
Model	LDN-N120S
Exterior	Cold-rolled steel plate (chemical resistance baking finish)

Fume Hood (Energy Saving Structure)LDN-N120S

[Page Top](#)[Product Summary](#)[Specifications](#)[Same series products](#)

	Standard discharge air quantity	7m3/min (*0.25m/sec) / 11m3/min (*0.4m/sec) *Front average wind speed
	Water faucet	Single type 1pc
	Outlet	AC115/ 220V with dual grounding wire (dropout prevention) 1pc.
	Lamp	LED lamp x 1pc
	Pushed air method	Supply air from the front air wheel on the work surface (intake of indoor air)
	Safety feature	Exhaust delay timer, Door falling prevention stopper, Flow monitor
	Option	Flow monitor (LED bar display)
	Standard discharge air quantity	7m3/min (*0.25m/sec) / 11m3/min (*0.4m/sec) *Front average wind speed
	Static pressure	10Pa (0.25m/sec) / 22Pa (0.4m/sec)
	External dimensions (W×D×H mm)	1200×750×2400mm
	Power Source	115/220V V
	Weight	320kg

Same series products



Fume Hood (Energy Saving Structure) (LDN-N150S)



Fume Hood (Energy Saving Structure) (LDN-N180S)